

## PATENT ABSTRACTS OF JAPAN

(11)Publication number : 10-036459

(43)Date of publication of application : 10.02.1998

---

(51)Int.Cl. C08F283/01  
C08F290/06  
C08F290/06  
C08L 67/06  
C08L 67/06

---

(21)Application number : 08-192598 (71)Applicant : HITACHI CHEM CO LTD

(22)Date of filing : 22.07.1996 (72)Inventor : WATANABE MASAHIKO  
TANAKA KAZUYUKI

---

(54) UNSATURATED POLYESTER RESIN COMPOSITION

## (57)Abstract:

PROBLEM TO BE SOLVED: To provide an unsaturated polyester resin composition which contains a vinyl ester resin and can be easily thickened controllably.

SOLUTION: The composition comprises as the essential components an unsaturated polyester resin A, a vinyl ester resin B, and a polymerizable monomer C. The resin B is obtained by reacting a bisphenol epoxy compound having two or more epoxy groups per molecule with an unsaturated monocarboxylic acid and then effecting an addition reaction between secondary hydroxyl groups present in the skeleton of the epoxy compound and/or secondary hydroxyl groups generated by the reaction and a carboxylic anhydride.

---

## LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's  
decision of rejection]

[Date of requesting appeal against examiner's  
decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2000 Japan Patent Office